


# Chromalox®

## Specification Data Sheet Band and Nozzle Heaters

Form PM300

Customer Name: \_\_\_\_\_ Reference No.: \_\_\_\_\_ Date: \_\_\_\_\_



Note — Drawing Is For Illustration Purposes Only

<b>Operating Conditions</b>		<b>9. AGENCY APPROVALS:</b>	
1. APPLICATION (Describe in Detail):		<input type="checkbox"/> None	
		<input type="checkbox"/> UL Component Recognized	
		<input type="checkbox"/> CSA Certified	
		<input type="checkbox"/> Other (Specify)	
		<b>10. THIS HEATER IS A VARIATION OF STANDARD CATALOG HEATER:</b>	
		<input type="checkbox"/> Yes Model No. = _____ <input type="checkbox"/> No	
2. HEATED MEDIUM (Specify): <input type="checkbox"/> Gas		<b>11. OTHER SPECIAL FEATURES:</b>	
<input type="checkbox"/> Liquid <input type="checkbox"/> Solid			
3. MAXIMUM WORK TEMPERATURE: _____ °F			
4. MAXIMUM SHEATH TEMPERATURE: _____ °F			
5. INSTALLATION ENVIRONMENT: <input type="checkbox"/> Indoor		<b>12. INCLUDE ADDITIONAL DETAILED INFORMATION,</b>	
<input type="checkbox"/> Outdoor <input type="checkbox"/> Hazardous Class		<b>INCLUDING DETAILED SKETCH WHERE APPROPRIATE.</b>	
Div. _____ Group _____			
6. AMBIENT TEMPERATURE: _____ °F			
<b>Heater Specifications (Check All That Apply)</b>			
1. RATING: _____ Volts _____ Watts			
2. BAND WIDTH: _____ (W) Band Diameter: _____ (D)			
3. <input type="checkbox"/> One Piece <input type="checkbox"/> Two Piece			
<input type="checkbox"/> Tubular HTR. <input type="checkbox"/> Strip HTR. <input type="checkbox"/> Mica Insulated			
4. SPECIAL TERMINATION: _____ Lead Wire			
5. TERMINATION COVER: _____			
6. SHEATH MATERIAL (Other than Catalog Standard): _____			
7. SPECIAL HINGE CONSTRUCTION: _____			
8. ELECTRICAL REQUIREMENTS:			
<input type="checkbox"/> Chromalox Standards			
<input type="checkbox"/> Insulation Resistance to be Min. _____ Meg.			
<input type="checkbox"/> Leakage Current to be Max. _____ mA.			
<input type="checkbox"/> Other (Specify) _____			